

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-325



Parameter: 12V/16T
Replace: Lester 5746, 5778;
 PIC 106-204, -A, -213
Application:Briggs & Stratton 11-16
 HP Engines

DXS-326



Parameter: 12V/14T
Replace: Lester 5777;
 PIC 106-212 B&S 693551
 OHN DEERE LG693551
Application:Briggs & Stratton 7, 8, 10,
 11, 12, 12.5, 16, 18 HP
 Engines

DXS-327



Parameter: 12V/13T
Replace: LESTER:5771
 WAI:2-2242
 AEP:SAB0038
 UT:5239740-M030SM,SM56670
 AES:S150N
Application:Kohler CH11, CH12.5,
 CH13, CH14, CH15 Small Engines

DXS-328



Parameter: 12V/16T
Replace: Briggs And Stratton:
 3930417, 394674, 394808, 394808a,
 39480b, 497596, 393017, 497596
 John Deere: Am38984, Am239287,
 Lg497596
Application:Briggs & Stratton

DXS-329



Parameter: 12V/16T
Replace:Briggs & Stratton
 399928, 495100, 498148
 Remy Small Motor
 RS41080
Application:Briggs & Stratton Outdoor
 Power Equipment

DXS-330



Parameter: 12V/16T
Replace:OEM:33605,35763
 LESTER:5749
 WAI:2-2194
 AEP:STC0006
 PIC:106-302
Application:Tecumseh
 HM70100,OVMOVXL120,TVMTVXL1
 70- 220 Engines

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-331



Parameter: 12V/10T
Replace: Lester 5756;
 PIC 106-034
Application:Kohler M8, M16, 8-16HP Engines

DXS-332



Parameter: 12V/16T
Replace:Briggs & Stratton 393499, 394943, 399169, 490420, 494148, 494198, 494490, 494990, 497401, 499529, 691262
Application:Briggs & Stratton Single Cyl. 11-16hp Engines

DXS-333



Parameter: 12V/16T
Replace:LESTER:5706
 WAI:2-2244-UT AEP:SAB0033
 PIC:106-203
 UT: SM60194
 ONAN: 191-1630,191-2132
Application:ONAN Engines
 BGD,MCE,NHD,NHDL,NHE,NHEL,NH M 75-ON ALL United TECH SYSTEM

DXS-334



Parameter: 12V/10T
Replace:LESTER:5708
 WAI:2-2076-UT
 AEP:SAB0011
 PIC:106-038
Application:(1999-76) Mariner, Mercury 50, 60, 70, 75, 80, 90hp Marine Outboards

DXS-335



Parameter: 12V/16T
Replace:BRIGGS & STRATTON 497594, 497595, 693054
 CARGO 110634
Application:19G400-19G499, 191707, 252707, 254422, 254427, 28a707, 28b702, 28b707 and 28m707, 254700-254799, 280700-289799

DXS-336



Parameter: 12V/16T
Replace:Briggs & Stratton 391178, 394807, 396306 Lester # 5745
Application:Briggs & Stratton 243436, 243437, 326437 10hp Horizontal Engines

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-337



Parameter: 12V/10T
Replace:LESTER:5747 WAI:2-2266
 AEP:STC0023 PIC:106-309
 RCP:25211A
 TECUMSEH:36914,37425
Application:Tecumseh OHV110,
 OHV120, OHV125, OHV130,
 OHV135 Small Engines

DXS-338



Parameter: 12V/14T
Replace:BRIGGS & STRATTON
 695479, EMS 49-5479, LESTER 5937,
 MINNPAR 57-1624, WILSON SMALL
 ENGINE 71-09-5937
Application:Briggs & Stratton

DXS-339



Parameter: 12V/24T
Replace:BRIGGS & STRATTON
 694504
 J & N 410-22026
 LESTER 5936
 PIC # 106-231
 ROMAINE ELECTRIC 5936N
Application:Briggs & Stratton Intek 5-
 7hp horizontal shaft engines

DXS-340



Parameter: 12V/24T
Replace:LESTER 5933 98149, EMS
 5933N, J & N 410-22037, JUST
 PARTS BS2-0027N, , MINNPAR 57-
 2373
Application:WILSON SMALL
 ENGINE

DXS-341



Parameter: 12V/14T
Replace:BRIGGS & STRATTON
 693552, DIXIE MS-6006, DIXIE NEW
 206-03115, EMS 49-3552, JUST PARTS
 BS2-0033N, LESTER 5932, MINNPAR
 57-2372,
Application:Briggs & Stratton

DXS-342



Parameter: 12V/10T
Replace:John Deere Miu11006,
 Kawasaki 21163-7007, Kawasaki
 211637007, Kawasaki 21163-7031,
 Kawasaki 211637031, Lester 5922,
 Minnpar 57-3554, Reference Number
 103866, Wilson Small Engine 71-09-5922
Application:Kawasaki Fh381v, Fh430v,
 Fh480v Lawn And Garden Engines

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-343



Parameter: 12V/24T
Replace:LESTER 5919; PIC 106-080
 ONAN 191-1798; UT 6020940-
 M030SM; 2-2243-UT
Application:KV ENGINES

DXS-344



Parameter: 12V/15T
Replace:LESTER 5776; PIC 106-210
Application:JOHN DEERE, OTHERS,
 WITH 12.5-18HP ENGINES

DXS-345



Parameter: 12V/13T
Replace:KOHLER 12-098-04, 12-098-08,
 12-098-13, 12-098-22, 12-098-22-S
LESTER 5770
Application:KOHLER CH14, CV11,
 CV12.5, CV15, CV15S, CV16,
 CV16S,CV460S and CV490S; for 9 thru
 15 HP engines

DXS-346



Parameter: 12V/10T
Replace:LESTER:5754 WAI:2-2339
 AEP:STC0019 PIC:106-308
 TECUMSEH:36264,36795 RCP:ST-
 5754
Application:Tecumseh OHV135,
 OHV14, OHV145, OHV15, OHV150,
 OHV155, OHV16, OHV160, OHV165,
 OHV17, OHV170, OHV175 Engines

DXS-347



Parameter: 12V/16T
Replace:LESTER:5752
 WAI:2-2247
 AEP:STC0007
PIC:106-306
TECUMSEH:35765,35765A
Application:Tecumseh H50-70;
 TVM125-140 Small Engines

DXS-348



Parameter: 12V/10T
Replace:LESTER 5701;
PIC 106-030;
ONAN 191-1567;
UT 4367240, 4379040
Application:Cub Cadet, John Deere,
 Toro Lawn Tractors & Mowers w/ Onan
 B43E, B43G, B48G, P218G, P220G
 Engines

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-349



Parameter: 12V/8T
Replace:LESTER: 5709 WAI: 2-2074-UT AEP: SAB0003 PIC: 106-037 OMC:387094,395207,585062 UT:0814240,4786240
Application:(1991-77) Evinrude, Johnson 150, 155, 175, 185, 200, 235hp 2.5L, 2.6L, 2.7L Marine Outboards

DXS-350



Parameter: 12V/10T
Replace:LESTER:5710 AEP:SAB0110 PIC:106-036 RCP:ST-5710 MES MOTORCYCLE & MARINE:S2036M WAI:2-2256-UT
Application:(1993-80) Evinrude, Johnson 9.9, 15hp 2-Stroke Marine Outboards

DXS-351



Parameter: 12V/10T
Replace:LESTER:5711 WAI:2-2255-UT AEP:SAB0103 PIC:106-504 MERCURY MARINE:50-820193,50-820193-1 DIXIE:MS-695 UNITED TECHNOLOGIES:5676940,5676940MO 30SM
Application:(1998-94) Evinrude, Johnson 9.9, 15hp 4-Stroke Marine Outboards

DXS-352



Parameter: 12V/11T
Replace:STRATOLINE 80-5712 UNIPOINT STR-1060 UNITED TECHNOLOGIES 0255640-M030SM, 5705140-M030SM, SM02556, SM57051 WAI 2-2073-UT
Application:(2000-66) Evinrude, Johnson 20, 25, 28, 30, 33, 35, 40hp 2-Cylinder Marine Outboard

DXS-353



Parameter: 12V/9T
Replace:LESTER:5713 WAI:2-2160 AEP:SAB0078 PIC:106-505 CARGO:112155
Application:(2000-87) Evinrude, Johnson 40, 48, 50hp Marine Outboards

DXS-354



Parameter: 12V/10T
Replace:LESTER:5715 AEP:SAB0104 PIC:106-507
Application:(2000-96) Evinrude, Johnson 25, 35hp 3-Cyl. Marine Outboards

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-355



Parameter: 12V/10T
Replace:LESTER:5719
WAI:2-2079-UT
AEP:SAB0062
PIC:106-035
Application:(1997-64) Evinrude,
Johnson V4 85-140hp 1.6L, 1.8L, 2.0L
Marine Outboards

DXS-356



Parameter: 12V/10T
Replace:LESTER:5721
WAI:2-2159
AEP:SAB0066
PIC:106-509
Application:(2000-85) Evinrude,
Johnson 120, 130, 140hp 1.8L, 2.0L V4
Marine Outboards

DXS-357



Parameter: 12V/10T
Replace:LESTER:5401
AEP:SAB0013
PIC:106-012A
Application:(1997-84) Mariner, Mercury
50, 60hp Marine Outboards

DXS-358



Parameter: 12V/10T
Replace:LESTER:5708
WAI:2-2076-UT
AEP:SAB0011
PIC:106-038
Application:(1999-76) Mariner,
Mercury 50, 60, 70, 75, 80, 90hp
Marine Outboards

DXS-359



Parameter: 12V/10T
Replace:LESTER:5724
WAI:2-2163
AEP:SAB0053
Application:(2001-80) Mariner, Mercury
9.9, 15, 18, 20, 25hp Marine Outboards

DXS-360



Parameter: 12V/9T
Replace:LESTER:5732
WAI:2-2082-UT
AEP:SAB0010
PIC:106-035
Application:(1994-66) Chrysler, Force
70, 75, 85, 90, 100, 105, 115, 120, 125,
130, 125, 140, 150hp
Marine Outboards

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-361



Parameter: 12V/9T
Replace:LESTER: 5734
WAI: 2-2156-UT
AEP: SAB0028
Application:(2000-93) Force, Mercury 90, 95, 120hp 1.2L, 1.7L Marine Outboards

DXS-362



Parameter: 12V/10T
Replace:LESTER: 5735
WAI: 2-2077-UT
AEP: SAB0070
PIC: 106-079
Application:(1988-69) Mariner, Mercury 65, 80, 90, 115, 140, 150, 175hp Marine Outboards

DXS-363



Parameter: 12V/9T
Replace:LESTER:5764
WAI:2-2252-UT
AEP:SAB0114
PIC:106-051
CARGO:112830
Application:(2002-99) Mariner, Mercury 30, 40hp 4-Stroke Marine Outboards

DXS-364



Parameter: 12V/9T
Replace:LESTER:5769
AEP:SAB0111
PIC:106-062
Application:(2001-98) Mariner, Mercury 25hp 4-Stroke Marine Outboards
 (2004-98) Yamaha 25hp 4-Stroke Marine Outboards

DXS-365



Parameter: 12V/9T
Replace:LESTER:5772
AEP:SAB0112
PIC:106-063
Application:(2001-80) Mariner, Mercury 9.9, 15, 18, 20, 25hp Marine Outboards

DXS-366



Parameter: 12V/9T
Replace:LESTER:18420
AEP:SMU0026
PIC:191-010
Yamaha:6M6-81800-10
MITSUBA:S13-237
Application:(2005-90) Yamaha 650cc, 701cc Personal Watercrafts

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-367



Parameter: 12V/9T
Replace:LESTER:18421
 AEP:SMU0035
 PIC:191-012
 Yamaha:63M-81800
Application:(2005-95) Yamaha 784,
 1100, 1176, 1300cc Personal
 Watercrafts (PWC) & Sport Boats

DXS-368



Parameter: 12V/9T
Replace:LESTER:18756
 AEP:SMU0065
 PIC:190-539
 Yamaha:1YW-8180-50-00,1YW-8180-
 51-00
Application:(2007-87) Yamaha YFM350
 Big Bear, Raptor, Warrior; YFM400
 Kodiak ATV

DXS-369



Parameter: 12V/9T
Replace:LESTER:18719
 WAI:2-2417-MT AEP:SMU0280
 PIC:191-356
 KAWASAKI:21163-1320,21163-1321
Application:(2007-02) Kawasaki
 KVF650 ATV
 (2007-04) Kawasaki KSV700, KVF700
 ATV
 (2007-05) Kawasaki KVF750 ATV
 (2005-04) Suzuki LT-V700F ATV

DXS-370



Parameter: 12V/8T
Replace:LESTER 18203 14632-
 770101
Application:Yanmar Marine Engines
 L40S, L60S,170F,178F,186F Diesel

DXS-371



Parameter: 12V/17T
Replace:Lester:18524 Honda:31210-
 ZE1-023
Application:Honda 5.5 HP
 Engine 168F Gasoline Engine

DXS-372



Parameter: 12V/14T
Replace:Lester: 18984
 WAI: 2-2942-ND
 AEP:SND0454
Application:Honda GX270 9.9hp Small
 Engines

Chongqing Kava Auto Electrical Co., Ltd

Address:60#, da shui jing industrial park,sha ping ba district chongqing,china

Website:www.kava-auto.com

Email:kavaparts@hotmail.com

SMALL STARTER

DXS-373



Parameter: 12V/8T
Replace:LESTER 18203 14632-770101
Application: Yanmar Marine Engines L40S, L60S,170F,178F,186F Diesel

DXS-374



Parameter: 12V/17T
Replace:Lester:18524 Honda:31210-ZE1-023
Application:Honda 5.5 HP Engine 168F Gasoline Engine

DXS-375



Parameter: 12V/14T
Replace:LESTER:18513 WAI:2-2688-ND AEP:SND0288 PIC:190-551
OEM:31210-ZB8-013
Application:Honda GX340 GX390 Small Industrial Engines